

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	411	laser same reflect\$3 same (beam adj quality)	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
2	BRS	L2	2	"5171242".pn.	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
3	BRS	L3	36	laser same reflect\$3 same (beam adj quality) same fiber	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
4	BRS	L4	9	laser same reflect\$3 same (beam adj quality) and (fiber with core with (numerical adj aperture))	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B

	Time Stamp	Comments	Error Definition	Errors
1	2005/07/21 12:25			
2	2005/07/21 12:22			
3	2005/07/21 13:08			
4	2005/07/21 13:11			

	Type	L #	Hits	Search Text	DBs
5	BRS	L6	26	laser same reflect\$3 same (fiber with (core near diameter) with (numerical adj aperture))	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
6	BRS	L5	198	laser same (fiber with (core near diameter) with (numerical adj aperture))	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
7	BRS	L7	0	laser same (fiber with (core near diameter) with ((numerical adj aperture) near exit))	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
8	BRS	L8	1	laser same (fiber with (core near diameter) with ((numerical adj aperture) near output))	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B

	Time Stamp	Comments	Error Definition	Errors
5	2005/07/21 13:12			
6	2005/07/21 13:28			
7	2005/07/21 13:28			
8	2005/07/21 13:29			

	Type	L #	Hits	Search Text	DBs
9	BRS	L9	2	laser same (fiber with (core near diameter) with ((numerical adj aperture) near3 output))	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
10	BRS	L10	10	(fiber with (core near diameter) with ((numerical adj aperture) near3 output))	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B

	Time Stamp	Comments	Error Definition	Errors
9	2005/07/21 13:29			
10	2005/07/21 13:29			